

c/ Energía, 112
08940- CORNELLA
BARCELONA (ESPAÑA)

Tel.: (+34)934 750 709
Fax: (+34) 934 750 699
info@panlab.com
www.panlab.com

PERÍODO
ANÁLISIS
LOTES

3º Trimestre 2007
C0706625
S40707/S40708/S40709

Pesticidas Organofosforados (en mg/kg)

Azinfos etil	No detect.	< 0.02
Azinfos metil	No detect.	< 0.01
Bromophos etil	No detect.	< 0.01
Bromophos metil	No detect.	< 0.01
Carbofenotion etil	No detect.	< 0.01
Carbofenotion metil	No detect.	< 0.02
Clorfenvinfos	No detect.	< 0.01
Clormefos	No detect.	< 0.01
Clorpirifos Etil	No detect.	< 0.01
Clorpirifos Metil	No detect.	< 0.01
Clortiofos	No detect.	< 0.01
Diazinon	No detect.	< 0.01
Diclofention	No detect.	< 0.01
Diclorvos	No detect.	< 0.01
Dietion	No detect.	< 0.01
Dimefox	No detect.	< 0.01
Dimetoato	No detect.	< 0.01
Dioxation	No detect.	< 0.01
Disulfoton	No detect.	< 0.01
Etoprofos	No detect.	< 0.01
Fenclorfos	No detect.	< 0.01
Fenitrothion	No detect.	< 0.01
Fention	No detect.	< 0.01
Fonofos	No detect.	< 0.01
Formotion	No detect.	< 0.02
Heptenofos	No detect.	< 0.01
Iodofenfos	No detect.	< 0.02

Malation	No detect.	< 0.01
Mercabam	No detect.	< 0.01
Metamidofos	No detect.	< 0.01
Metamidation	No detect.	< 0.01
Mevinfos	No detect.	< 0.02
Monocrotofos	No detect.	< 0.02
Naled	No detect.	< 0.05
Paratión Etil	No detect.	< 0.01
Paratión Metil	No detect.	< 0.01
Fenamifos	No detect.	< 0.05
Fosalone	No detect.	< 0.02
Fosmet	No detect.	< 0.05
Fosfamidon	No detect.	< 0.01
Propetamfos	No detect.	< 0.01
Profenofos	No detect.	< 0.01
Protoato	No detect.	< 0.01
Piridafention	No detect.	< 0.01
Pirimifos Etil	No detect.	< 0.01
Pirimifos Metil	No detect.	< 0.01
Sulfotep	No detect.	< 0.01
Terbuphos	No detect.	< 0.01
Tetraclorvinfos	No detect.	< 0.01
Tiometon	No detect.	< 0.01
Triazofos	No detect.	< 0.01
Triclorfon	No detect.	< 0.01
Tricloronato	No detect.	< 0.01
Vamidotion	No detect.	< 0.05

Barcelona a, julio de 2007

Panlab, s.l.u.

Patricia Carranza V.
Responsable de Calidad

Cód.: GC-FM-21